


# Recycled Energy From Open Road Motion ENERGY SYSTEM



REFORM ENERGY SYSTEM  
ASSEMBLY SYSTEM

WOODS' DEVELOPMENT, INC.  
25 Bayview Court  
Redwood City, CA 94061  
508-215-5332  
woodsdev@earthlink.net

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----



Woods' Development, Inc. is a registered trademark of Woods' Development, Inc. All rights reserved. © 2000 Woods' Development, Inc.





# WIND COLLECTOR COMPONENT SYSTEM ASSEMBLY

④



## SECTION-BB ⑤

REFORM ENERGY SYSTEM  
WIND COLLECTOR  
COMPONENT SYSTEM ASSEMBLY

WOODS' DEVELOPMENT, INC.  
85 Bayview Court  
Richmond, CA 94804  
510-285-5332  
reformed@earthlink.net

Sheet 1 of 1  
Date 10/1/01  
Page 1 of 1  
Rev 1.0

1. 100% of the total weight of the system shall be supported by the foundation.  
 2. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 3. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 4. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 5. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 6. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 7. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 8. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 9. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 10. The system shall be designed to resist all loads and stresses to which it may be subjected.

# ⑥ REFORM ENERGY OPERATIONAL SYSTEM

1. 100% of the total weight of the system shall be supported by the foundation.  
 2. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 3. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 4. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 5. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 6. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 7. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 8. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 9. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 10. The system shall be designed to resist all loads and stresses to which it may be subjected.


1. 100% of the total weight of the system shall be supported by the foundation.  
 2. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 3. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 4. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 5. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 6. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 7. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 8. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 9. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 10. The system shall be designed to resist all loads and stresses to which it may be subjected.


REFORM ENERGY SYSTEM  
OPERATIONAL SYSTEM

WOODS' DEVELOPMENT, Inc.  
25 Bayview Court  
Richmond, CA 94804  
510-215-5352  
Robert Wood@earthlink.net  
www.woodsdev.com


1. 100% of the total weight of the system shall be supported by the foundation.  
 2. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 3. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 4. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 5. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 6. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 7. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 8. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 9. The system shall be designed to resist all loads and stresses to which it may be subjected.  
 10. The system shall be designed to resist all loads and stresses to which it may be subjected.

## ⑦ SECTION-AA





## VEHICULAR APPROACH ELEVATION<sup>⑧</sup>



**⑨ SIDE ELEVATION**